



Printed from: Interstate Technology & Regulatory Council (ITRC). 2018. *Light Non-Aqueous Phase Liquid (LNAPL) Site Management: LCSM Evolution, Decision Process, and Remedial Technologies*. LNAPL-3. Washington, D.C. <https://lnapl-3.itrcweb.org>.

References

- Adamski, M., V. Kremesec, R. Kolhatkar, C. Pearson, and B. Rowan. 2005. "LNAPL in fine-grained soils: Conceptualization of saturation, distribution, recovery, and their modeling." *Ground Water Monitoring & Remediation* 25:100-112.
- Adamson, A. 1990. *Physical Chemistry of Surfaces - Fifth Edition*. John Wiley & Sons. p777. ISBN 0-471-61019-4
- Aelion, C.M., B.C. Kirtland, and P.A. Stone. 1997. "Radiocarbon assessment of aerobic petroleum bioremediation in the vadose zone and groundwater at an AS/SVE site." *Environ. Sci. Technology* 31:3363-3370. doi: 10.1021/es960857.
- AFCEE. 2004. Procedures for Conducting Bioventing Pilot Tests and Long-Term Monitoring of Bioventing Systems. Air Force Center for Engineering and the Environment - US Air Force Center of Excellence.
- Amos, R.T., K.U. Mayer, B.A. Bekins, G.N. Delin, and R.L. Williams. 2005. "Use of dissolved and vapor-phase gases to investigate methanogenic degradation of petroleum hydrocarbon contamination in the subsurface." *Water Resources Research* 41. doi: 10.1029/2004WR003433.
- ANSR. 2012. "Mechanisms for LNAPL to Enter Confined Conditions." *Applied NAPL Science Review* 2 (4).
- API. 2003. Models for Design of Free-Product Recovery Systems for Petroleum Hydrocarbon Liquids: A User's Guide and Model Documentation. American Petroleum Institute.
- API. 2006. API Interactive LNAPL Guide Version 2.0.4. edited by Soil and Groundwater Technical Task Force: American Petroleum Institute.
- API. 2007. LNAPL Distribution and Recovery Model (LDRM) - Volume 2: User and Parameter Selection Guide. American Petroleum Institute.
- API. 2010. BIOVAPOR - A 1-D Vapor Intrusion Model with Oxygen-Limited Biodegradation (Version 2.0). American Petroleum Institute.
- API. 2016. LNAPL Transmissivity Workbook: A Tool for Baildown Test Analysis - User Guide. American Petroleum Institute.
- API. 2017. Quantification of Vapor Phase- Related Natural Source Zone Depletion Processes. American Petroleum Institute.
- ASCWG. 2006. Hydrocarbon Characterization for Use in the Hydrocarbon Risk Calculator and Example Characterizations of Selected Alaskan Fuels.: Alaska Statement of Cooperation Working Group.
- ASTM. 2013. Standard Guide for Estimation of LNAPL Transmissivity. ASTM International.
- ASTM. 2014a. Standard Guide for Developing Conceptual Site Models for Contaminated Sites. ASTM International.
- ASTM. 2014b. Standard Guide for Development of Conceptual Site Models and Remediation Strategies for Light Nonaqueous-Phase Liquids Released to the Subsurface. ASTM International.
- ASTM. 2014c. Standard Guide for Greener Cleanups. ASTM International.
- ASTM. 2015. Standard Guide for Risk-Based Corrective Action Applied at Petroleum Release Sites.: ASTM International.
- ATSDR. 2005. Public Health Assessment Guidance Manual (Update). In *U.S. Department of Health and Human Services: Agency for Toxic Substance and Disease Registry*.
- Baedecker, M.J., R.P. Eganhouse, B.A. Bekins, and G.N. Delin. 2011. "Loss of volatile hydrocarbons from an LNAPL oil source." *Journal of Contaminant Hydrology* 126:140-152.
- Bear, J. 1972. *Dynamics of Fluids in Porous Media*. New York: Dover Publications, Inc.

- Beckett, G.D., and P. Lundegard. 1997. "Practically Impractical - The Limits of LNAPL Recovery and Relationship to Risk, ." *Petroleum Hydrocarbons and Organic Chemicals in Groundwater: Prevention, Detection and Remediation Conference*.
- Bekins, B.A., I.M. Cozzarelli, M.L. Erickson, R.A. Steenson, and K.A. Thorn. 2016. "Crude Oil Metabolites in Groundwater at Two Spill Sites." *Ground Water* 51 (5):681-691.
- Bethke, C., R. Sandford, M. Kirk, Q. Jin, and T. Flynn. 2011. "The thermodynamic ladder in geomicrobiology." *AJS Online* 311 (3).
- Biondolillo, M., M. Chalfant, and L. Vogel. 2017. "The Oleophilic Biobarrier: Sustainably Preventing Oil Sheens on Waterways." *Proceedings of the Ninth International Conference on Remediation of Contaminated Sediments, New Orleans, LA, January 9-12, 2017*.
- Chalfant, M.W. . 2015. "Oleophilic bio barriers (OBBs) for control of hydrocarbon sheens at groundwater-surface water interfaces." *Colorado State University Libraries*.
- CL:AIRE. 2014. *An illustrated handbook of LNAPL transport and fate in the subsurface*. London: Contaminated Land: Applications in Real Environments (CL:AIRE).
- Conger, P. S. 1943. "Ebullition of gases from marsh and lake waters." *Chesapeake Biological Laboratory Publication No. 59* (November).
- Corey, A.T. 1990. "Mechanics of immiscible fluids in porous media." In. Littleton, Colorado: Water Resources Publications.
- Dullien, F.A. 1979. *Porous media fluid transport and pore structure*: Academic Press.
- Eichert, J., B. McAlexander, M. Lyverse, P. Michalski, and N. Sihota. 2017. "Spatial and Temporal Variation in Natural Source Zone Depletion Rates at a Former Oil Refinery." *Vadose Zone J. 0*. doi: 10.2136/vzj2016.12.0131.
- EPA. 1995. Light Nonaqueous Phase Liquids. In *USEPA Ground Water Issue*. Washington, D.C.: OSWER Office of Research and Development.
- EPA. 1996. How to Effectively Recover Free Product at Leaking Underground Storage Tank Sites: A Guide for State Regulators. In *Office of Underground Storage Tanks*. Washington, D.C.: U.S. Environmental Protection Agency
- EPA. 1997. Hydrocarbon Spill Screening Model (HSSM). In *Water Research*. Washington, D.C.: U.S. Environmental Protection Agency.
- EPA. 2004. Handbook of Groundwater Protection and Cleanup Policies for the Resource Conservation and Recovery Act (RCRA) Corrective Action. Washington, D.C.: U.S. Environmental Protection Agency
- EPA. 2010. Underground Storage Tank Flood Guide. Washington, D.C.: U.S. Environmental Protection Agency
- EPA. 2013. Introduction to In situ Bioremediation of Groundwater. Washington, D.C.: U.S. Environmental Protection Agency
- EPA. 2015. RCRA (Resource Conservation and Recovery Act) Facilities Investigation Remedy Selection Track (FIRST).
- EPRI. 2011. Reactive Capping for Coal-Tar Impacted Sediments An In Situ Evaluation of Effectiveness and Implementability (Phase II—Design, Installation, and Monitoring). In *Technical Update*. Palo Alto, California: Electric Power Research Institute.
- Falta, R.W., A.N.M Ahsanuzzaman, and J.T. Wilson. 2012. REMFuel, remediation evaluation model for fuel hydrocarbons. In *Version 1*.
- Fetter Jr., C.W. . 1992. "Contaminant hydrogeology." *Macmillan Publishing Company*.
- Freeze, R. A., and D.B McWhorter. 1997. "A Framework for Assessing Risk Reduction Due to DNAPL Mass Removal from Low-Permeability Soils." *Ground Water* 35:111-123.
- Garg, S., C.J. Newell, P.R. Kulkarni, D.C. King, D.T. Adamson, M.I. Renno, and T. Sale. 2017. "Overview of Natural Source

Zone Depletion: Processes, Controlling Factors, and Composition Change." *Groundwater Monitoring & Remediation* Wiley Online Library Version of Record. doi: 10.1111/gwmr.12219.

Hardisty, P.E. 2010. Environmental and Economic Sustainability. In *CRC Press*. Boca Raton, FL. .

Hardisty, P.E., S. Howard, D.B. Wheeler, and J. Dottridge. 2003. "Characterization of LNAPL in Fractured Rock." *Quarterly Journal of Engineering Geology and Hydrogeology* (November 2003).

Hawkins, A. . 2012. "Processes controlling the behavior of LNAPLs at groundwater surface water interfaces." Masters, Colorado State University.

Hers, I., P. Jourabchi, M. A. Lahvis, P. Dahlen, E. Hong Luo, P. Johnson, G.E. DeVauil, and K.U. Mayer. 2014. "Evaluation of Seasonal Factors on Petroleum Hydrocarbon Vapor Biodegradation and Intrusion Potential in a Cold Climate." *Groundwater Monitoring & Remediation* 34:60-78.

Hoag, G., and M. Marley. 1986. "Gasoline Residual Saturation in Unsaturated Uniform Aquifer Materials." *Journal of Environmental Engineering* 112 (10).

Hua, F., and H.Q. Wang. 2014. "Uptake and trans-membrane transport of petroleum hydrocarbons by microorganisms." *Biotechnology & Biotechnological Equipment*. 28:165-175.

Huntley, D. . 2000. "Analytic Determination of Hydrocarbon Transmissivity from Baildown Tests." *Groundwater* 38 (1):46-54.

Huntley, D., R.N. Hawk, and H.P. Corley. 1994. "Nonaqueous phase hydrocarbon in a fine-grained sandstone: 1. Comparison between measured and predicted saturations and mobility." *Ground Water* 32 (4):626-634.

Huntley, D., J.W. Wallace, and R.N. Hawk. 1994. "Nonaqueous Phase Hydrocarbon in a fine-grained sandstone: 2. Effect of local sediment variability on the estimation of hydrocarbon volumes." *Ground Water* 32:778-783.

Irrianni-Renno, M., D. Akhbari, M.R. Olson, A.P. Byrne, E. Lefevre, J. Zimbron, M. Lyverse, T. Sale, and S.K. DeLong. 2016. "Comparison of bacterial and archaeal communities in depth-resolved zones in an LNAPL body." *Applied Microbiology and Biotechnology*. doi: 100:3347-3360.

ITRC. 2006. Exit Strategy – Seeing the Forest Beyond the Trees, Technology Overview. In *Remediation Process Optimization Team*. Washington, D.C. : Interstate Technology Regulatory Council.

ITRC. 2007. Vapor Intrusion Pathway: Investigation Approaches for Typical Scenarios (A Supplement to VI-1). Washington, D.C.: Interstate Technology Regulatory Council.

ITRC. 2008. In Situ Bioremediation of Chlorinated Ethene: DNAPL Source Zones. Washington, D.C.: Interstate Technology Regulatory Council.

ITRC. 2009a. Evaluating LNAPL Remedial Technologies for Achieving Project Goals. Washinton, D.C.: Interstate Technology Regulatory Council.

ITRC. 2009b. Evaluating Natural Source Zone Depletion at Sites with LNAPL. Washington, D.C.: Interstate Technology Regulatory Council.

ITRC. 2010. Use and Measurement of Mass Flux and Mass Discharge Information. Washington, D.C.: Interstate Technology Regulatory Council.

ITRC. 2011. Integrated DNAPL Site Strategy. Washington, D.C.: Interstate Technology Regulatory Council.

ITRC. 2014. Petroleum Vapor Intrusion Guidance Document, Fundamentals of Screening, Investigation, and Management. Washington, D.C.: Interstate Technology Regulatory Council.

ITRC. 2017a. Characterization and Remediation of Fractured Bedrock Washington, D.C. : Interstate Technology Regulatory Council.

ITRC. 2017b. Remediation Management of Complex Sites – Guidance Document. Washthington, D.C.: Interstate Technology and Regulatory Council.

- ITRC. 2018. TPH Risk Evaluation at Petroleum-Contaminated Sites. Washington, D.C.: Interstate Technology Regulatory Council.
- Jewell, K. P., and J.T. Wilson. 2011. "A new screening method for methane in soil gas using existing groundwater monitoring wells." *Groundwater Monitoring & Remediation* 33 (3):82-94.
- Johnson, P. C., C. Bruce, R. L. Johnson, and M. W. Klemblowski. 1998. "In Situ Measurement of Effective Vapor-Phase Porous Medium Diffusion Coefficients." *Environmental Science and Technology* 32 (21):3405-09.
- Johnson, P. C., P. Lundegard, and Z. Liu. 2006. "Source Zone Natural Attenuation at Petroleum Hydrocarbon Spill Sites: I. Site-Specific Assessment Approach." *Ground Water Monitoring & Remediation* 26:82-92.
- Johnson, R. 2010. Overview of the Triad Approach.
- Johnston, C.D., and M. Adamski. 2005. Relationship between Initial and Residual LNAPL Saturation for Different Soil Types. CLU-IN.org.
- Kasenow, M. 2006. Aquifer Test Data: Analysis and Evaluation. In *Water Resources Publications*. Littleton, CO.
- Kemblowski, M. W., and C.Y. Chiang. 1990. "Hydrocarbon Thickness Fluctuations in Monitoring Wells." *Ground Water* 28:244-252.
- Kirkman, A.J. . 2013. "Refinement of Bouwer-Rice Baildown Test Analysis." *Ground Water Monitoring & Remediation* 33 (1):105.
- Kirkman, A.J., M. Adamski, and M. Hawthorne. 2013. "Identification and Assessment of Confined and Perched LNAPL Conditions." *Groundwater Monitoring Review* 33 (1):75-86.
- Kolhatkar, R., V. Kremesec, S. Rubin, C. Yukawa, and R. Senn. 1999. "Application of field and analytical techniques to evaluate recoverability of subsurface free phase hydrocarbons." 1:5-15.
- Kueper, B.H., and D.B. McWhorter. 1991. "The behavior of dense, nonaqueous phase liquids in fractured clay and rock." *Groundwater* 29:716-728.
- Lahvis, M. A., I. Hers, R. V. Davis, J. Wright, and G. E. DeVaul. 2013. "Vapor Intrusion Screening at Petroleum UST Sites." *Groundwater Monitoring & Remediation* 33 (2):53-67.
- Lahvis, M.A., and I. Hers. 2013. "Evaluation of Source-Receptor Separation Distances as a Screening Methodology for Petroleum Vapor Intrusion Risk Assessment." The 2nd International Symposium on Bioremediation and Sustainable Environmental Technologies, Jacksonville, Florida, June 10-13.
- LALWG. 2015. Final Report of the LA Basin LNAPL Recoverability Study. LA LNAPL Work Group.
- Lenhard, R.J., J.L. Rayner, and G.B. Davis. 2017. "A practical tool for estimating subsurface LNAPL distributions and transmissivity using current and historical fluid levels in groundwater wells: Effects of entrapped and residual LNAPL." *Journal of Contaminant Hydrology* 205:1-11.
- Lovley, D., F. Chapelle, and J. C. Woodward. 1994. "Use of dissolved H₂ concentrations to determine distribution of microbially catalyzed redox reactions in anoxic groundwater." *Environmental Science Technology* 28 (7):1205-1210.
- Lowry, W., S.D. Dunn, and D. Neeper. 1996. "Barometric Pumping With a Twist: VOC Containment and Remediation without Boreholes." Conference on Industry Partnerships to Deploy Environmental Technology, Morgantown, WV.
- Lundy, D.A., and L.M. Zimmerman. 1996. "Assessing the Recoverability of LNAPL Plumes for Recovery System Conceptual Design." Proceedings of the 10th NGWA National Outdoor Action Conference/Exposition, May.
- Ma, J., Z.Y. Wang, B.A. Stevenson, X.J. Zheng, and Y. Li. 2013. "An inorganic CO₂ diffusion and dissolution process explains negative CO₂ fluxes in saline/alkaline soils." *Scientific Reports* 3 (2025).
- Mahler, N., T. Sale, and M. Lyverse. 2012. "A Mass Balance Approach to Resolving LNAPL Stability." *Ground Water* 50 (6):861-71.

- Marinelli, F., and D.S. Durnford. 1996. "LNAPL Thickness in Monitoring Wells Considering Hysteresis and Entrapment." *Ground Water* 34:405-414.
- McCoy, K., J. Zimbron, T. Sale, and M. Lyverse. 2014. "Measurement of Natural Losses of LNAPL Using CO2 Traps." *Ground Water*. doi: 10.1111/gwat.12240.
- McLinn, E., and T.R. Stolzenburg. 2009. "Ebullition-facilitated transport of manufactured gas plant tar from contaminated sediments." *Journal of Environmental Toxicology and Chemistry*. 28 (11):2290-2306.
- Meckenstock, R.U., F. von Netzer, C. Stumpp, T. Lueders, A.M. Himmelberg, N. Hertkorn, P. Schmitt-Kopplin, M. Harir, R. Hosein, S. Haque, and D. Schulze-Makuch. 2014. "Water droplets in oil are microhabitats for microbial life." *Science* 345:673-676.
- Mercer, J. W., and R. M. Cohen. 1990. "A Review of Immiscible Fluids in the Subsurface: Properties, Models, Characterization and Remediation." *Journal of Contaminant Hydrology* 6:107-163.
- Millington, R. J., and J. M. Quirk. 1961. "Permeability of Porous Solids." *Transactions of the Faraday Society* 57:1200-07.
- Molins, S., K.U. Mayer, R.T. Amos, and B.A. Bekins. 2010. "Vadose zone attenuation of organic compounds at a crude oil spill site—Interactions between biogeochemical reactions and multicomponent gas transport." *Journal of Contaminant Hydrology* 112 (1):15-29.
- Nelson, R. 2001. "Geologic Analysis of Naturally Fractured Reservoirs, 2nd Edition." In.: Gulf Professional Publishing.
- Ng, G.-H.C., B.A. Bekins, I.M. Cozzarelli, M.J. Baedecker, P.C. Bennett, R.T. Amos, and W.N. Herkelrath. 2015. "Reactive transport modeling of geochemical controls on secondary water quality impacts at a crude oil spill site near Bemidji, MN." *Water Resources Research* 51:4156-4183.
- Ng, G.-H.C., B.A. Bekins, I.M. Cozzarelli, M.J. Baedecker, P.C. Bennett, and R.T. Amos. 2014. "A mass balance approach to investigating geochemical controls on secondary water quality impacts at a crude oil spill site near Bemidji, MN." *Journal of Contaminant Hydrology* 164:1-15.
- NOAA. 1994. Options for Minimizing Environmental Impacts of Freshwater Spill Response. In *Hazardous Materials Response Division and American Petroleum Institute: National Oceanic and Atmospheric Administration*.
- NOAA. 2016. NOAA Open Water Oil Identification Job Aid.: National Oceanic and Atmospheric Administration.
- NRC. 2000. Natural Attenuation for Groundwater Remediation. In *Committee on Intrinsic Remediation, Water Science and Technology Board, Board on Radioactive Waste Management, Commission on Geosciences, Environment, and Resources*. Washington, D.C.: National Research Council.
- NRC. 2013. Alternatives for Managing the Nation's Complex Contaminated Groundwater Sites. In *Division on Earth and Life Studies. National Academy of Sciences*, edited by Water Science and Technology Board Committee on Future Options for Management in the Nation's Subsurface Remediation Effort. Washington, D.C.: National Research Council.
- Palmier, C., D. Palmier, M. Olivier, and A. Olivier. 2000. "Comparison of Oil Transmissivity Methods Using Bail-Down Test Data." *Groundwater Monitoring & Remediation* 36:73-83.
- Parsons. 2003. Light Nonaqueous-Phase Liquid Weathering at Various Fuel Release Sites – 2003 Update. In *Prepared for the Air Force Center for Environmental Excellence*, edited by Brooks City-Base. San Antonio, Texas.
- Peargin, T., and R. Kolhatkar. 2011. "Empirical Data Supporting Groundwater Benzene Concentration Exclusion Criteria for Petroleum Vapor Intrusion Investigations." Proc. of Battelle Presentation at International Symposium on Bioremediation and Sustainable Environmental Technologies, Reno, NV, June 27-30, 2011.
- Pickell, J.J, B.F. Swanson, and W.B. Hickman. 1966. "Application of Air-Mercury and Oil-Air Capillary Pressure Data in the Study of Pore Structure and Fluid Distribution " *Society of Petroleum Engineers Journal*:55-61.
- Rice, J., H. Hinke, S. McAnulty, A. Sellwood, and J. Papez. 2013. "Design of a sediment cap to control ebullition-facilitated NAPL transport." Platform presentation at Seventh International Conference on Remediation of Contaminated

Sediments, Dallas, TX, February 4-7.

- Sale, T., and M. Lyverse. 2014. Sheens Associated with Subsurface Petroleum Releases – Current Knowledge and Best Practices. Chevron USA, Inc.
- Sale, T., N. Mahler, and T. Smith. 2016. "Reply to Lago et al. Comment on "Use of Single-Well Tracer Dilution Tests to Evaluate LNAPL Flux at Seven Field Sites and Measurement of LNAPL Flux Using Single-Well Intermittent Mixing Traces Dilution Tests." *Ground Water* 54 (5):624.
- Schmidt, G.W., D.D. Beckmann, and B.E. Torkelson. 2003. "Gas Chromatography Technique for Estimating the Octane Rating of Fresh and Weathered Gasolines Released to Soils and Groundwater." *Environmental Forensics* 4:75-80.
- Selker, J., F. Selker, J. Huff, R. Short, D. Edwards, P. Nicholson, and A. Chin. 2014. "Practical strategies for identifying groundwater discharges into sediment and surface water with fiber optic temperature measurement." *Environmental Science: Processes Impacts* 16:1772-1778.
- Shen, R., K.G. Pennell, and E.M. Suuberg. 2013. "Influence of Soil Moisture on Soil Gas Vapor Concentration for Vapor Intrusion." *Environmental Engineering Science* 30 (10):628-637.
- Siddique, T., R. Gupta, P.M. Fedorak, M.D. MacKinnon, and J.M. Foght. 2008. "A first approximation kinetic model to predict methane generation from an oil sands tailings settling basin." *Chemosphere* 72:1573-1580.
- Sihota, N.J., and K.U. Mayer. 2011. "Determination of vadose zone hydrocarbon degradation rates using CO₂ efflux measurements and isotopic analysis." *American Chemical Society* 242.
- Sihota, N.J., K.U. Mayer, M.A. Toso, and J.F. Atwater. 2013. "Methane Emissions and Contaminant Degradation Rates at Sites Affected by Accidental Releases of Denatured Fuel-Grade Ethanol." *Journal of Contaminant Hydrology* 151:1-15.
- Sihota, N.J., J.J. Trost, B.A. Bekins, A. Berg, G.N. Delin, B. Mason, E. Warren, and K.U. Mayer. 2016. "Seasonal Variability in Vadose Zone Biodegradation at a Crude Oil Pipeline Rupture Site." *Vadose Zone J.* 15 (5). doi: 10.2136/vzj2015.09.0125.
- Skinner, A., and T. Sale. 2013. "Analysis of Subsurface LNAPL Body Evolution." American Geophysical Union Hydrology Days, March 25-27, 2013.
- Stockwell, E.B. 2015. Continuous NAPL Loss Rates Using Subsurface Temperatures. edited by ProQuest Dissertations Publishing: Colorado State University.
- Stolzenburg, T, J. Rice, and K. Vater. 2012. "Migration of coal tar and PAHs from sediment by ebullition vs. dissolved/advection." Poster presentation at the MGP 2012 Symposium, Chicago, Illinois, March 27-29.
- Stout, S., and A. Uhler. 2016. Primer on Petroleum Forensic Chemistry. Houston, TX: ExxonMobil Environmental Services Company.
- Stuum, W., and J. Morgan. 1981. *Aquatic Chemistry-An Introduction to Chemical Equilibria in Natural Waters*. New York: John Wiley and Sons.
- Sweeney, R. E., and G.T. Ririe. 2014. "Temperature as a tool to evaluate aerobic biodegradation in hydrocarbon contaminated soil." *Groundwater Monitoring & Remediation* 34 (3):41-50.
- Sweeney, R.E., and G.T. Ririe. 2017. "Small Purge Method to Sample Vapor from Groundwater Monitoring Wells Screened Across the Water Table." *Groundwater Monitoring & Remediation* 37:51-59. doi: 10.1111/gwmr.12230.
- Tomlinson, D.W., M.O. Rivett, G.P. Wealthall, and R.E.H. Sweeney. 2017. "Understanding complex LNAPL sites: Illustrated handbook of LNAPL transport and fate in the subsurface." *Journal of Environmental Management* 204 (2):748-756.
- TPHCWG. 1997. A risk-based approach for the management of total petroleum hydrocarbons in soil. Total Petroleum Hydrocarbon Criteria Working Group.
- TPHCWG. 1998. Composition of petroleum mixtures. edited by Volume 2. Amherst, MA: Total Petroleum Hydrocarbon

Criteria Working Group.

USACE. 1999. Multi-Phase Extraction – Engineering Manual. U.S. Army Corps of Engineers.

USAEC. 2002. Remediation Technologies Screening Matrix and Reference Guide – 4th Edition. Aberdeen, MD: U.S. Army Environmental Center,.

Viana, P., K. Yin, X. Zhao, and K. Rockne. 2007. “Active sediment capping for pollutant mixtures: control of biogenic gas production under highly intermittent flows.” *Land Contamination and Reclamation* 15 (4):413.

Warren, E., and B.A. Bekins. 2015. “Relating subsurface temperature changes to microbial activity at a crude oil-contaminated site.” *Journal of Contaminant Hydrology* 182:183-193.

Wiedemeier, T.H., M.A. Swanson, D.E. Moutoux, E.K. Gordon, J.T. Wilson, B.H. Wilson, D.H. Kampbell, P. Haas, R.N. Miller, J.E. Hansen, and F.H. Chapelle. 1998. Technical Protocol for Evaluating Natural Attenuation of Chlorinated Solvents in Groundwater. Washington, D.C.

Wilson, J. T., I. Hers, and P. Jourabchi. 2016. “A Simple Spreadsheet Model to Simulate the Natural Attenuation of Residual NAPL-Phase Hydrocarbons in the Subsurface.” Battelle 10th International Conference on Remediation of Chlorinated and Recalcitrant Compounds, Palm Springs, CA, May 23-26.

Yuan, Q., K.T. Valsaraj, and D.D. Reible. 2009. “A Model for Contaminant and Sediment Transport via Gas Ebullition through a Sediment Cap.” *Environmental Engineering Science* 26 (9):1381-1391.

Yuan, Q., K.T. Valsaraj, D.D. Reible, and C.S. Wilson. 2007. “A laboratory study of sediment and contaminant release during gas ebullition.” *Journal of the Air and Waste Management Association* 59 (9).

Zeman, N., M. Renno, M. Olson, L. Wilson, T. Sale, and S. Long. 2014. “Temperature impacts on anaerobic biotransformation of LNAPL and concurrent shifts in microbial community structure.” *Biodegradation* 25:569-585.

Zemo, D.A, K.T. O’Reilly, R.E. Mohler, A.K. Tiwary, R.I. Magaw, and K.A. Synowiec. 2013. “Nature and Estimated Human Toxicity of Polar Metabolite Mixtures in Groundwater Quantified as TPHd/DRO at Biodegrading Fuel Release Sites.” *Groundwater Monitoring & Remediation* 33 (4):44-56.

Zytner, R.G., N. Biswas, and J.K. Bewtra. 1993. “Retention Capacity of Dry Soils for NAPLs.” *Environmental Technology* 14:1073-1080.